



QINEO WDP-50

Robust, portable wire drive unit for manual welding

Portable and very robust for mobile use in industrial production: The wire drive is used with a connection cable assembly, the length of which can be flexibly adapted to the respective requirements. All connections are protected from external influences behind a stable cover and do not form any interfering edges. The operating module is protectively integrated in the WDP housing. So the welder can do all required settings directly and without unnecessary useless routes. The WDP is prepared to take up a 15 kg wire coil and all consumables can be changed without tools.

- Robust and without interfering edges: The WDP is portable and predestined for rough industrial use.
- For indoor welding: Very compact design for manhole operation
- Flexible lengths of the connection cable assembly: Extends the range of the welder and keeps the operating module close to the welding site
- Service-friendliness: Tool-free, easy and quick change of all consumables





QINEO WDP-50

Technical Data

Construction form	External wire drive
Wire feed speed	max. 30 m/min
Dimensions L/W/H	732/255/400 mm
Weight	16 kg
Wire diameter	0.8 - 2.0 mm

Application

Manual

Process

- MIG/MAG Single Wire AC
- MIG/MAG Single Wire
- MIG Bracing
- MIG/MAG Single Wire pulse

Questions about the product?

Your contact partner:
Daniel Weber
Tel.: +49 (0)2773 85-430
gt-sales@cloos.de



Technical modifications reserved
Version: 20.05.2024

